

cee'd  
VEHICLE SPECIFICATION 2009



**KIA MOTORS**  
The Power to Surprise™

# ceed MODEL FEATURES

## Appearance and Audio

DESCRIPTION	LX	EX
16" alloy wheels	X	X
16" steel wheels	X	-
Tinted glass	X	X
Body coloured door handles	X	X
Radiator grille with chrome bars	X	X
Body coloured bumpers	X	X
Front fog lamps	X	X
In-dash single CD/MP3 RDS audio	X	X
USB & AUX audio Input	X	X
Rear roof-mounted aerial	X	X
Four speakers	X	X
Tweeter speakers	X	X

## Comfort and Convenience

DESCRIPTION	LX	EX
Keyless entry	X	X
Power steering	X	X
Steering wheel tilt/telescopic adjustment	X	X
Leather covered steering wheel	-	X
Leather covered gear lever	-	X
Steering wheel audio remote	X	X
Digital clock, calendar, outside temperature	X	X
Trip computer inc: distance, fuel consumption, speed	X	X
Sunvisors with covered vanity mirrors	X	X
Illuminated vanity mirrors (1.6 model only)	X	X
Remote fuel flap release	X	X
Central tail gate lock / unlock	X	X
Door scuff guards	X	X
Grab handles x 3	X	X
Rear coat hook	X	X
Front cup holders x 2	X	X
Rear cup holders x 2	X	X
Centre console power outlet	X	X
Front ashtray & cigar lighter	X	X
Map lamp with sunglasses case	X	X
Load area light	X	X
Front door mounted courtesy reflector	X	X
Driver and passenger seat lumbar support with lever	X	X
Drivers seat height adjustment	X	X
Seatback pockets	X	X
60:40 split folding rear seats	X	X
Centre armrest with storage box	X	X
Luggage net fixings	X	X
Glove box with damper & illumination	X	X
Glove box cooling	X	X
Cloth upholstery	X	-
Half leather upholstery	-	X
Driver's foot rest	X	X
Cruise Control (A/T Diesel model only)	-	X



## Safety and Security

DESCRIPTION	LX	EX
ABS with EBD	X	X
Driver & passenger airbags	X	X
Passenger Air-bag cut-off switch	X	X
Active headrests (front)	X	X
Speed sensing auto door locking	X	X
Impact sensing door unlocking	X	X
Front power safety window (auto up/down with sensor)	X	-
Front and rear power safety window (auto up/down with sensor)	-	X
Side airbags	X	X
Curtain airbags	X	X
Front seatbelt pre-tensioners with load limiters	X	X
3 x 3-point rear belts	X	X
Front seat belt reminder	X	X
ISOFIX rear anchor points	X	X
Height adjustable front seatbelts	X	X
Height adjustable front head restraints	X	X
Height adjustable rear head restraints	X	X
Rear cargo area cover	X	X
Engine immobiliser	X	X
Child proof rear door locks	X	X

## Ventilation and Visibility

DESCRIPTION	LX	EX
Air conditioning	X	X
Cabin air filter	X	X
Front electric windows	X	X
Rear electric windows	-	X
Body coloured electrically controlled heated with wide view door mirrors	X	X
Variable intermittent front wipers	X	X
Heated rear window	X	X
Courtesy room light	X	X

# ceed TECHNICAL SPECIFICATION

	1.4	1.6 Auto	1.6 CRDi
Engine Type	1.4 DOHC CVVT	1.6 DOHC CVVT	1.6 CRDi VGT
Capacity (cc)	1,396	1,591	1,582
Max power (bhp/kw @ rpm)	109/80 @ 6,200	122/89.7 @ 6,200	115/84.6 @ 4,000
Max Torque (Nm @ rpm)	137 @ 5,000	154 @ 4,200	255 @ 1,900 – 2,750
Bore / stroke (mm)	77 / 74.99	77 / 85.44	77.2 / 84.5
Ignition system	Distributorless ignition	Distributorless ignition	Compression ignition
Fuel injection system	Multi point injection	Multi point injection	Common rail diesel injection
Emission control	Euro IV	Euro IV	Euro IV
Transmission	5-speed manual	4-speed automatic	5-speed manual
Emission system	Catalytic convertor	Catalytic convertor	–
<b>DIMENSIONS</b>			
Overall length (mm)	4,235	4,235	4,235
Overall width (mm)	1,790	1,790	1,790
Overall height (mm)	1,480	1,480	1,480
Wheelbase (mm)	2,650	2,650	2,650
Wheel tread – front (mm)	1,546	1,546	1,546
Wheel tread – rear (mm)	1,544	1,544	1,544
Overhang – front (mm)	865	865	865
Overhang – rear (mm)	720	720	720
<b>INTERIOR DIMENSIONS</b>			
Length (mm)	1,880	1,880	1,880
Width (mm)	1,490	1,490	1,490
Height (mm)	1,235	1,235	1,235
Max front headroom (mm)	1,020	1,020	1,020
Max rear headroom (mm)	980	980	980
Max front legroom (mm)	1,105	1,105	1,105
Max rear legroom (mm)	900	900	900
Max front shoulder room (mm)	1,410	1,410	1,410
Max rear shoulder room (mm)	1,385	1,385	1,385
Cargo area (min) seats up (litres)	340	340	340
Cargo area (max) seat folding (litres)	1,300	1,300	1,300
<b>SPECIFICATIONS</b>			
Max kerb weight (kg)	1,355	1,373	1,468
Max towing weights (kg) with brakes	1,200	1,200	1,400
Max towing weights (kg) without brakes	550	550	550
Fuel tank capacity (litres)	53	53	53
<b>SUSPENSION, STEERING &amp; BRAKES</b>			
Front suspension	McPherson strut with coil spring	McPherson strut with coil spring	McPherson strut with coil spring
Rear suspension	Multi Link	Multi Link	Multi Link
Shock absorber	Gas	Gas	Gas
Steering system	Motor driven power steering	Motor driven power steering	Motor driven power steering
Minimum turning (lock to lock)	2.69 turns	2.69 turns	2.69 turns
Turning radius	5.17m	5.17m	5.17m
Anti-lock braking system	ABS	ABS	ABS
Front brakes	Ventilated disc	Ventilated disc	Ventilated disc
Rear brakes	Solid disc	Solid disc	Solid disc
Parking brake	Drum in Hat	Drum in Hat	Drum in Hat
Battery	45 AH	45 AH	68 AH
<b>PERFORMANCE</b>			
Maximum speed (kph)	187	187	188
Acceleration (0-100 kph)	11.6	11.4	11.5
<b>FUEL CONSUMPTION (OFFICIAL GOVT. TEST FIGURES)</b>			
Urban (cold) l/100km	7.6	8.9	5.7
Extra urban mpg l/100km	5.2	5.8	4.2
Combined mpg l/100km	6.1	6.9	4.7
Emissions CO <sub>2</sub> g/km	145	165	125
	Every 15,000km or 1 year, whichever is sooner	Every 15,000km or 1 year, whichever is sooner	Every 15,000km or 1 year, whichever is sooner





\*Models shown may not be to Irish specification. All information and illustrations are based on data available at time of publication (April 2008) and are subject to change without notice. Contact your local Kia dealer for current information.